

PRESENTING

ANOTHER MASTER STROKE

HIGH MOISTURE RESISTANCE PARTICLE BOARD



- HIGH DENSITY > 700
- BORER RESISTANCE & TERMITE RESISTANCE
- GOOD SCREW HOLDING CAPACITY
- ENVIRONMENT FRIENDLY
- LOW FORMALDEHYDE EMISSION



Presenting "MOIST MASTER" another master stroke from Action TESA, a revolutionary solution that goes beyond the ordinary particle boards.

Designed for those who demand more from their materials, it offers enhanced strength, improved screw grip, increased resistance to termites and borers, and superior moisture resilience. Elevate your creations with the power of Moist Master.





TECHNICAL SPECIFICATIONS OF HIGH MOISTURE RESISTANCE PARTICLE BOARD - THICKNESS: 18.00MM		
Properties	Unit	TESA Standard
Thickness (mm)	mm	±0.30
Density	Kg/M ³	>700
M.O.R.	N/mm ²	>15
M.O.E.	N/mm ²	>2500
I.B.	N/mm ²	>0.70
Screw withdrawal Face	N	>2500
Screw withdrawal Edge	N	>1500
Thickness swelling, 2hrs	%	<6
Thickness swelling, 24hrs	%	<12
Moisture Content	%	5-15

AVAILABLE IN: 9mm, 12mm, 18mm, 25mm


KEY APPLICATION AREA: • Kitchen Shutters • Furniture - Office, School, Hospital and Home • Wall Paneling • Fixtures • Wardrobes • Decorative Display Panels







Plant: Plot No. C34, C34 (A) to (D), C3, C6 (A) to (C), Eldeco Sidcul Industrial Park &





customerser vices@action tesa.com



www.actiontesa.com

TESA PRODUCT RANGE: •Pre-Laminated & Plain
Particle Board •Pre-Laminated & Plain MDF & HDHMR
Board •BOILO - BWP FR HDF Board •Abraze - Highly
Scratch Resistant Prelaminated MDF Board •Ornamatte Matte Finishes Board •HDHMR Door •HDF Laminated
Flooring •Embossed HDF Board •High Gloss UV Coated
Board •High Gloss Acrylic Board •Door Skins



DOWNLOAD THE
TESA CONNECT APP
ON YOUR MOBILE
SCAN THE QR CODE

